Paediatric and Perinatal Epidemiology 1998, **12**, 473–474

Author Index for Volume 12

Aksit, S. 176
Alberman, E. Suppl.1: 1, 45, 61
Alexander, G.R. 152
Al-Mazrou, Y.Y. Suppl.2: 1, 27, 59
Al-Osimi, M. Suppl.2: 98
Armstrong, M.A. 422
Arnaud, C. 228
Asefa, M. 182

Ba'aqeel, H. Suppl.2: 27, 59, 116
Baille, M-F. 228
Bakketeig, L. Suppl.2: 27, 59
Belizán, J. 240, Suppl.2: 1, 27, 59
Benedetti, T.J. 277
Berendes, H. Suppl.2: 4, 27, 59
Bergel, E. Suppl.2: 142
Bergsjø, P. Suppl.2: 116, 156
Bergstrom, S. 25
Bifulco, A. 463
Bobák, M. 7
Bornstein, M.H. 355
Bower, C. 136
Bréart, G. Suppl.2: 156
Brown, S. 49
Buck, G. 468
Buka, S. 334
Bynner, J. Suppl.1: 1, 15
Byron-Scott, R. 136

Çağlayan, S. 176
Cans, C. 228
Capurro, H. 240
Carmi, R. 128
Carroli, G. Suppl.2: 1, 27, 59, 116
Chaisiri, K. Suppl.2: 142
Chan, A. 136
Clark, K. 136
Cleaton-Jones, P.E. 297
Cnattingius, S. 25
Cooperstock, M. 347
Cukan, R. 176

Daling, J.R. 397
Davey Smith, G. Suppl.1: 96
Dewey, C. 243
Diaz, E. Suppl.2: 142
Dillard, R.G. 72, 408
Donner, A. Suppl.2: 27, 59
Drewett, R. 182
Du Mazaubrun, C. 228
Dupret, A. 25

Edwards, A.W. 297
Elbourne, D. 199
Elliott, P. 263
Ellison, G.T.H. 163
Escobar, G.J. 422

Farnot, U. Suppl.2: 1, 27, 59, 116
Fergussen, D.M. 244
Ferri, E. Suppl.1: 31
Fink, J.C. 277
Fooks, J. 199
Fox-Rushby, J. Suppl.2: 75
Frankel, S.J. Suppl.1: 96
Fraser, D. 128
Fritz, S. 199

Gaffin, J. 4, 126, 250, 368
Gandeh, M. Suppl.2: 142
Gardner, M.N. 422
Gissler, M. 437
Gohar, J. 128
Goldacre, M.J. 288, 383
Golding, J. 121, Suppl.1: 76
Goldstein, H. Suppl.1: 1, 15
Golembeski, D. 422
Grandjean, H. 228
Greenwood, R. Suppl.1: 76
Griffith, M. 288, 383
Grundy, C. 263
Gülmezoglu, M. Suppl.2: 7
Gunnell, D.J. Suppl.1: 96

Haan, E. 136
Hales, V. 217
Harris, H.E. 163
Harville, E. 352
Hedegaard, M. 37
Hemminki, E. 437
Hennessey, E. Suppl.1: 45, 61
Henriksen, T.B. 37
Hewison, J. 182
Hey, E. 199
Holčík, J. 7
Holliday, M. 163
Holmes, R. 119
Holt, V.L. 397
Hussain, R. 370
Hutton, G. Suppl.2: 75

Järvelin, M-R. 437
Jenkins-Woelk, L. 253
Johnson, A. 199
Jones, M.E. 288, 383

Kalter, H. 456
Katz, M. 128
Kemp, M. Suppl.1: 96
Khan-Neelofur, D. Suppl.2: 7
Kieffer, E.C. 152
Kipnis, P. 422
Klebanoff, M.A. 334
Klinepeter, K.L. 72
Kogan, M.D. 152
Kothadia, J.M. 408
Koupilova, I. 7
Kuchaisit, C. Suppl.2: 98

Langer, A. Suppl.2: 98
Lech, M.M. 459
Leon, D.A. 7
Lindmark, G. Suppl.2: 4
Little, J. 84
Longstaff, L. 253
Louhiala, P. 437
Lumbiganon, P. Suppl.2: 27, 59, 116
Lumey, L.H. 361
Lumley, J. 49

Macfarlane, J.A. 217
Mackeown, J.M. 297
Mahomed, K. 253
Malcontent 2, 122, 248
Malone, K.E. 397
Martuzzi, M. 263
Meirik, O. Suppl.2: 4
Meis, P.J. 72
Moore, D.E. 397
Mor, J.M. 152
Morabia, A. Suppl.2: 156
Mott, M.G. 71
Mudzamiri, S. 253
Mugford, M. Suppl.2: 75
Murphy, M. 217

Nickson, C. 163

© 1998 Blackwell Science Ltd.

Nigenda, G. Suppl.2: 98
North, K. 6, 119

Obel, C. 37
Olney, R.S. 358
Orozco, E. Suppl.2: 98
O'Shea, T.M. 72, 408
Østergaard, J. 37

Peters, T.J. Suppl.1: 96
Piaggio, G. Suppl.2: 27, 59, 116
Pikhart, H. 7
Pinol, A. Suppl.2: 59, 116, 142
Prikazsky, V. 7

Reitmaier, P. 25
Rice, G. 239
Roberts, D.D. 408
Rojas, G. Suppl.2: 98
Romero, M. Suppl.2: 98
Rose, M. 217
Ross, E. Suppl.1: 76
Rumeau-Rouquette, C. 228

Sanderson, M. 397
Sasco, A.J. 84
Satgé, D. 84
Schwartz, S.M. 277
Scott, H. 136
Secher, N.J. 37
Sefi, S. 217
Self, S.G. 397
Sheiner, E. 128
Shepstone, L. 359
Sherriff, A. 83
Shribman, S. 217
Shum, F. 422
Sidebotham, P. 466
Silverman, W.A. 366
Skuse, D.H. 118
Small, R. 49
Smith, J. 356
Soothill, P. 24, 119
Sorensen, T.K. 253
Stehman-Breen, C.O. 277
Swerdlow, A.J. 288, 383
Szczepanska-Putz, M. 459

Thein, A. 24
Tin, W. 199
TLC Trial Group 313
Turgeon-O'Brien, H. 297

Vågerö, D. 7
Verity, C. Suppl.1: 76
Villar, J. Suppl.2: 7, 27, 59, 116

Wessel, H. 25
Whitley, E. 357
Williams, M.A. 253, 397
Williamson, E.C.M. 48
Woelk, G.B. 253

Yanover, M. 422
Yaprak, I. 176
Yudkin, P. 199

Zemel, B.S. 334
Zhang, J. 352
Zierler, S. 334

Paediatric and Perinatal Epidemiology 1998, **12**, 475–478

Subject Index for Volume 12

Abruption 408–421
Accuracy of maternal weight 163–175
Acetaminophen and childhood cancer 84–117
Amniocentesis and renal disease 281
Anaesthesia in labour and childhood convulsions Suppl.1: 94
Antenatal care *see* Prenatal care
Antepartum haemorrhage 30, 408–421
Anti-arrhythmic drugs 125
Antibiotics 84–117
Antiemetic medication 397–407
Apgar score,
  and babbling 41
  and brain lesion 415
  and renal disease 277–287
Arm circumference 29
  of mother and pre-eclampsia 253–262
Asthma 437–455

Babbling 37–48
Behaviour, childhood 118
Birth cohort studies Suppl.1: 1–14
Birthweight 7–24
  and abdominal wall defects 136–151
  and babbling 41
  and childhood convulsions Suppl.1: 76–95
  and cryptorchidism 383–396
  and leg length Suppl.1: 96–113
  and trunk length Suppl.1: 96–113
  by race 352–354
  for gestation – intergeneration of influence Suppl.1: 5–60
  standards of twins 347–351
Birthweight-specific mortality 422–436
Bladder exstrophy 136–151
Bleeding,
  in first trimester and renal disease 281
  in pregnancy and childhood convulsions Suppl.1: 76–95
Body mass index and pre-eclampsia 258
Breast cancer 361–5, 397–407
Breast feeding 42, 44
  and babbling 41
  and cryptorchidism 383–396
  and convulsions Suppl.1: 76–95
  and feeding problems 59
  and infant growth 182–198
  and length of postnatal stay 49–71
  and marital status 59
  and maternal age 59
  and maternal confidence 59
  and maternal education 59
  and parity 59
Breech and cryptorchidism 383–396
British Birth Cohort studies Suppl.1: 15–44
Butler, Neville R. Suppl.1: 1–5
  bibliography Suppl.1: 6–14
  video transcript Suppl.1: 15–30

Caesarean section,
  and childhood convulsions Suppl.1: 93
  and renal disease 277–287
Cancer in childhood 71
Cape Verde 25–36
Carob bean juice 176–181
Cephalhaematoma and childhood convulsions Suppl.1: 94
Cerebral palsy 72–83
Chelation 313–333
Child abuse 463–468
Child development 37–48
Child Health & Education Survey Suppl.1: 2, 6–30
Childhood cancer and maternal drug exposure 84–117
Chorioamnionitis,
  and brain injury 408–421
  and cerebral palsy 72–83
Circumcision and infant growth 182–198
Cloacal exstrophy 136–151
Cocaine-exposed infants 355–356
Collaborative Perinatal Project 334–346
Concordance of inguinal hernia 288–296
Congenital,
  heart disease 128–135
  malformations 7–24, *see also* Cryptorchidism
    and gestational diabetes 456–458
    and preceding miscarriage 133
Consanguinity 370–382
Consent, informed 2
Convulsions,
  afebrile Suppl.1: 76–95
  febrile Suppl.1: 76–95
Costs,
  of maternal renal disease 280
  of prenatal care Suppl.2: 75–97
Cough and infant growth 182–198
Cryptorchidism 383–396
Czech Republic 7–24

Data,
  management Suppl.2: 142–155
  monitoring Suppl.2: 156–164
Day care 243
  and babbling 41
Deprivation and perinatal mortality 263–276
Diabetes in childhood 437–455
Diarrhoea,
  and infant growth 182–198
  in infancy 176–181
Dicylomine hydrochloride 84–117
Diethylstilboestrol 397–407
Diet,
  in childhood Suppl.1: 96–113
  of 5-year-olds 297–312
Disability,
  ascertainment 199–216

© 1998 Blackwell Science Ltd.

intellectual 437–455
Douglas, James Suppl.1: 5–30

Ear infection and babbling 41
Educational achievement and visual impairment 228–239
Emotional well-being *see* Depression
Encainide 125
Epilepsy 437–455 Suppl.1: 76–95
Episiotomy and cryptorchidism 383–396
Ethics 247–250, 366–369
Exomphalos 136–151

Family size,
and babbling 41
and growth Suppl.1: 106–107
Feeding problems 49–71
and breast feeding 61
and maternal confidence 61
and maternal depression 61
and obstetric care 61
Fetal distress,
and childhood convulsions Suppl.1: 76–95
and renal disease 281
Fetal growth standards of twins 347–351
Fever,
and infant growth 182–198
in infancy and babbling 41
Fine motor performance of child 43
Flecainide 125
Follow-up,
long-term 334–346
methods of 199–216

Gastroschisis 136–151
Gender and perinatal mortality 25–36
Geographic variation in perinatal mortality 263–276
Gestation,
and cryptorchidism 383–396
and maternal renal disease 280
Gestation-specific mortality 422–436
Grandparental,
hypertension,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
smoking,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
social class,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
Growth and diet Suppl.1: 96–113

Health visitor assessment of disability 199–216
Height,
and diet Suppl.1: 96–113
of grandparents,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
HIV in Poland 459–462
Hormonal medication and childhood cancer 84–117
Hospital stay, maternal 49–71
Hospitalisation in pregnancy and childhood convulsions Suppl.1: 76–95
Hypertension in pregnancy and childhood convulsions Suppl.1: 76–95
Hypothermia and childhood convulsions Suppl.1: 76–95

Inbreeding 370–382
Income and infant growth 182–198
Induction of labour and childhood convulsions Suppl.1: 92
Infant development 37–48
growth 182–198
Infection 48
and cerebral palsy 72–83
Infertility, parental and breast cancer 400
Inguinal hernia 288–296
Intraparenchymal echodensity 408–421

Kelmer-Pringle, Mia Suppl.1: 15–30

Lead exposure 313–333
Leg length and childhood diet Suppl.1: 96–113
Length of labour,
and childhood convulsions Suppl.1: 92
and renal disease 281
Leukaemia 84–117
Limb reduction defects 358–359
Longitudinal studies Suppl.1: 1–14

Magnesium sulphate 414
Marital status 7–24
and babbling 41
and childhood convulsions Suppl.1: 90
and pre-eclampsia 257
and prenatal care 157–159
Maternal,
age 28
and babbling 41
and childhood convulsions Suppl.1: 90
and exomphalos 136–151
and gastroschisis 136–151
and pre-eclampsia 257
and prenatal care 157–159
and renal disease 280
alcohol,
and babbling 41
and breast cancer 401
anaemia,
and breast cancer 401
antibiotics 72–83
birthweight,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
blood group and childhood convulsions Suppl.1: 91
breast feeding,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
caffeine and babbling 41
coffee and breast cancer 401
confidence 49–71
and breast feeding 62
and feeding problems 62
and income 62
and maternal education 62

and parity 62
and postnatal length of stay 62
depression 49–71
and confidence 63–64
and feeding problems 63–64
and income 63–64
and parity 63–64
diabetes 388
diet,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
education 7–24, 28
and childhood convulsions Suppl.1: 90
and fetal growth Suppl.1: 48–60
and infant growth 182–198
and pre-eclampsia 257
and prenatal care 157–159
and preterm delivery Suppl.1: 61–75
gestation,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
haemoglobin and childhood convulsions Suppl.1: 92
height 28
and fetal growth Suppl.1: 48–60
and pre-eclampsia 258
and preterm delivery Suppl.1: 61–75
medication,
and breast cancer 397–407
and childhood cancer 84–117
menarche,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
post-partum fever 25–36
pyrexia 72–83
smoking 29, 37–48, 388
and breast cancer 401
and childhood convulsions Suppl.1: 76–95
and fetal growth Suppl.1: 48–60
and pre-eclampsia 257
and preterm delivery Suppl.1: 61–75
and renal disease 280
thyroid disorders 400
vomiting 388
weight 28, 388
and breast cancer 400
and fetal growth Suppl.1: 48–60
and pre-eclampsia 258
and preterm delivery Suppl.1: 61–75
gain and breast cancer 397–407
work in pregnancy and pre-eclampsia 257
Meconium and childhood convulsions Suppl.1: 93
Metronidazole and childhood cancer 89
Motor impairment,
and mental retardation 228–239
and visual impairment 228–239
Multivariate analysis 6

National Birthday Trust Fund 357, Suppl.1: 15
National Child Development Study Suppl.1: 2, 16–30, 45–60, 61–75
National Survey of Health & Development Suppl.1: 2, 16–30
Neonatal,
blood pressure 408–421
care and mortality 422–436
deaths, classification of 422–436
morbidity and childhood convulsions Suppl.1: 95
sepsis 72–83
symptoms and childhood convulsions Suppl.1: 76–95
Neuroblastoma 84–117
Nutrition of 5-year-olds 297–312

Obesity and pre-eclampsia 253–262
Oestrogens, maternal 361–366
Oligohydramnios and renal disease 281
Oral contraceptives and childhood cancer 89
Overcrowding and growth Suppl.1: 106–107
Oxford Record Linkage Study (ORLS) 288–296

Paracetamol and childhood cancer *see* Acetaminophen 84–117
Parental unemployment and babbling 41
Parenting and babbling 41
Parity,
and childhood convulsions Suppl.1: 91
and perinatal mortality 25–36
and pre-eclampsia 257
and prenatal care 157–159
Past obstetric history 29
and childhood convulsions Suppl.1: 91
and congenital heart disease 128–135
and fetal growth Suppl.1: 48–60
and pre-eclampsia 257
and preterm delivery Suppl.1: 61–75
and renal disease 280
Paternal,
birthweight,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
gestation,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
height,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
weight,
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
Pelvic width 28
Perinatal mortality 25–36
and consanguinity 370–382

and social factors 263–276
Phenytoin 84–117
Pneumothorax 408–421
Polyhydramnios and renal disease 281
Ponderal index at birth 7–24
Postnatal,
smoking 43
stay 49–71
Pre-eclampsia 253–262
and brain injury 408–421
and childhood convulsions Suppl.1: 76–95
and cryptorchidism 383–396
and perinatal mortality 25–36
and prenatal care Suppl.2: 13
and renal disease 277–287
Prenatal care,
and ethnic origin 152–162
and renal disease 280
components of Suppl.2: 116–141
frequency of Suppl.2: 7–26
in developed countries Suppl.2: 4–6
in developing countries Suppl.2: 1–3
provider of Suppl.2:14–16
quality of Suppl.2: 98–115
systematic review Suppl.2: 7–26
Presentation of fetus and perinatal mortality 25–36
Preterm,
and babbling 41
delivery 7–24
labour and renal disease 277–287
Previous,
hypertensive disorder 25–36
miscarriage 128–135
perinatal death and current perinatal mortality 25–36
Progesterone and childhood cancer 89
Prolonged rupture of the membranes 30
Race and renal disease 280
Randomised control trial 176–181, 199–216, 313–333, Suppl.2: 1–164
Registers, use of 437–455
Renal disease, maternal 277–287
Resuscitation,
and brain lesion 408–421
and childhood convulsions Suppl.1: 76–95
ethics of 366–369
Rhesus negative 30

Sanitation and infant growth 182–198
Satisfaction with prenatal care Suppl.2: 14
Sibling recurrence of inguinal hernia 288–296
SIDS prevention 217–227
Sleeping position 217–227
Small-for-gestational-age and renal disease 277–287
Social,
class,
and babbling 41
and childhood convulsions Suppl.1: 90
and childhood diet Suppl.1: 96–113
and cryptorchidism 383–396
and diet Suppl.1: 96–113
and fetal growth Suppl.1: 48–60
and preterm delivery Suppl.1: 61–75
conditions,
and growth Suppl.1: 96–113
variation 7–24
SPER,
abstracts A1–A34
history 468–471
Spontaneous abortion *see* Miscarriage
Statistical,
methodology 357–360
testing 83
Sweden 7–24

Time trends,
in birthweight 7–24
in nutrition 297–312
in visual impairment 228–239
Tooth extraction and infant growth 182–198
Trophoblastic cell rest theory 128–135
Trunk length and childhood diet Suppl.1: 96–113
Twinning,
and brain injury 408–421
and pre-eclampsia 257
Twins, growth standards 347–351

Uvulectomy and infant growth 182–198

Visual impairment 228–239
Vitamin K and childhood convulsions Suppl.1: 94
Volume expansion 199–216

Water supply and infant growth 182–198
Weight,
antenatal 163–175
gain – bias 163–175
WHO Antenatal Randomised Controlled Trial Suppl.2: 1–164
data management Suppl.2: 142–155
data monitoring Suppl.2: 156–164
economic evaluation of, Suppl.2: 75–97
practice of care Suppl.2: 116–141
quality of care Suppl.2: 98–115
rationale Suppl.2: 27–58
study design Suppl.2: 27–58